

Problem G: Pascal's Travels

An $n \times n$ game board is populated with integers, one nonnegative integer per square. The goal is to travel along any legitimate path from the upper left corner to the lower right corner of the board. The integer in any one square dictates how large a step away from that location must be. If the step size would advance travel off the game board, then a step in that particular direction is forbidden. All steps must be either to the right or toward the bottom.

Consider the 4 x 4 board shown in Figure 1, where the solid circle identifies the start position and the dashed circle identifies the target. Figure 2 shows the three paths from the start to the target, with the irrelevant numbers in each removed.

2	3	3	1
1	2	1	3
1	2	3	1
3	1	1	0

Figure 1

2		3	
		1	0

2			
1	2		1
			0

Figure 2

2			
1			
3			0

Input (from file: g.in)

The input contains data for one to thirty boards, followed by a final line containing only the integer -1. The data for a board starts with a line containing a single positive integer n , $4 \leq n \leq 34$, which is the number of rows in this board. This is followed by n rows of data. Each row contains n single digits, 0-9, with no spaces between them..

Output (to stdout)

The output consists of one line for each board, containing a single integer, which is the number of paths from the upper left corner to the lower right corner.

NOTE: 64-bit integer values are available as *long* values in Java or *long long* values in C++ (g++ compiler).

Sample Input

4
2331
1213
1231
3110
4
3332
1213
1232
2120
5
11111
11111
11111
11111
11111
-1

Sample Output

3
0
70