



Southeastern European Regional Programming Contest
Bucharest, Romania
October 15, 2011

Problem A
Secret — MAX

Input File: A.IN

Output File: standard output

Program Source File: A.C, A.CPP, A.JAVA

Agent Smith transfers to a secret center secret information consisting of one strictly positive integer number. For coding the number, he presents each digit of the number by its corresponding word, and concatenates the words. For example, 42 may be transformed to FOURTWO. Agent Smith knows four languages (the 1st, the 2nd, the 3rd and the 4th). In these languages, numbers from 0 to 9 are spelled as follows (all letters are capital Latin, ASCII codes in range 65–90):

Digit	Language 1 spell	Language 2 spell	Language 3 spell	Language 4 spell
0	ZERO	SIFIR	ZERO	ZERO
1	UNU	BIR	JEDEN	ONE
2	DOI	IKI	DWA	TWO
3	TREI	UC	TRZY	THREE
4	PATRU	DORT	CZTERY	FOUR
5	CINCI	BES	PIEC	FIVE
6	SASE	ALTI	SZESC	SIX
7	SAPTE	YEDI	SIEDEM	SEVEN
8	OPT	SEKIZ	OSIEM	EIGHT
9	NOUA	DOKUZ	DZIEWIEC	NINE

After such encoding, he adds to the code some “noise” — redundant capital Latin chars. Any chars (including the chars already used in the code) can be added in any quantities in any positions of the code.

Write a program which should read the code and search the largest possible number coded by that code, making two different assumptions:

1. We don't know what language Smith used, but it was the same language (of the given) overall the code;

2. Smith could code different digits using either different languages (of the given) or the same.

Your program should input all lines and process them separately. Each single line contains not more than 10^5 capital Latin chars — the code. Size of the input is less than 1 Mb.

For each line from the input file your program should output two single-space-separated integers — the largest numbers according to the listed two assumptions in that order.

It's guaranteed, that each code was received from a correct positive (non-zero) integer. By the way, it means that both results will be always positive. Your program should output them without leading zeroes.

Sample input	Sample output
SIZEROXSIEVDEMXX	66 67